

MSDS have been prepared in according to regulation of safety data sheets on hazardous substances and mixtures (13.12.2014-29204 official newspaper)

Product: Booster Sensitive Underground Emulsion

MSDS Number : GBF-016

Date of Issue : 10.10.2016

Rev. Number : 01

Rev. Date : 31.10.2018

Page Number : 1/7

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identification: Booster Sensitive Undergroung Emulsion

Usage of Product : Water-resistant booster-sensitive emulsion explosives for mining

and construction industry

Name of Producer : Kapeks Uretim Patlayıcı Maddeler Tic. Ltd. Sti.

Isci Blokları Mah. Mevlana Bulv. Ege Plaza Is Merkezi No:182B Kat:22 No:100 Cankaya/Ankara/TURKEY

 Phone
 : +90 312 473 74 88

 Fax
 : +90 312 473 61 51

 E-mail
 : kapeks@kapeks.com.tr

Emergency Phone Number : +90 312 473 74 88 +90 376 518 26 53

National Poison Information Center: 114

Emergency Health Services: 112

2. HAZARDS IDENTIFICATION

Classification of the Mixture

Regulation on the Classification Packaging and Labelling of Dangerous Substances;

E;R2: Explosives, shock, friction, fire or explosion risk in contact with other sources of ignition

Explosive 1.1- H201: Explosive; mass explosion damage Eye Damage Cat.2 – H319: Causes serious eye irritation

Labelling Elements





Warning Sign: Danger

Hazard Statement;

H201 : Explosive; mass explosion damageH319 : Causes serious eye irritation

Precautionary Statements Precaution;

P210 : Keep away from heat / sparks / flames / hot surfaces.- Smoking isn't allowed

P230 : Keep wet

P240 : Put the container and outside packaging on the ground and connect

P250 : Do not expose to grinding / shock / friction

P264 : After handling wash thoroughly your place that contact with the material P280 : Wear protective gloves / protective clothing / eye protection / face protection



MSDS have been prepared in according to regulation of safety data sheets on hazardous substances and mixtures (13.12.2014-29204 official newspaper)

Product: Booster Sensitive Underground Emulsion

MSDS Number : GBF-016

Date of Issue : 10.10.2016

Rev. Number : 01

Rev. Date : 31.10.2018

Page Number : 2/7

Precautionary Statements Intervention;

P305+P351+P338 : IN CASE OF EYE CONTACT: Rinse with water several minutes, remove

contact lenses, continue rinsing

P337+P313 : If eye irritation is permanent: medical advice / attention

P370+P380 : In case of fire evacuate the area P372 : In case of fire risk of explosion

P373 : If fire reaches explosives DO NOT FIRE RESPONSE

Precautionary Statements Storage;

P401 : Store in appropriate storage conditions

Precautionary Statements Disposal;

P501 : Dispose the contents and container according to the procedure with the expert control

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Substance | %(w/w) | CAS No | EC No | CPL- Classification | CLP-Classification |
|-----------------|--------|-----------|---------------|----------------------------|---|
| Amonium Nitrate | < 76 | 6484-52-2 | 229-347- 8 | O;R8 Xi;R36 | Ox. Solid 3-H272 Eye Irr. 2-H319 |
| Sensitizing | < 0,4 | Mixture | Mixture | F;R11 | Flame.Solid.2,H228 |
| Mineral Oil | < 5 | 8042-47-5 | 232-455- 8 | - | Asp. Tox.1-H304 |
| Surfactant | < 2 | Mixture | Mixture | Xn;R22 Xi;R36/R37/38 | Acute Tox. Inh. Cat.4-H332 Acute Tox. Skin Cat.4-H312 Acute Tox. Oral Cat.4-H302 Eye Irr. Cat.2-H319 |

4. FIRST AID MEASURES

Ingestion: The mouth is rinsed with water.

Eye contact: Should be washed with water carefully and take out contact lenses. Continue to wash with water.

Skin Contact: Clothes should be removed and washed before wearing again. The area which is in contact with the product it should be washed with soap and water and incase of continuation of symptoms medical attention should done.

Ihalation: It does not cause chemical exposure.

5. FIRE - FIGHTING MEASURES



MSDS have been prepared in according to regulation of safety data sheets on hazardous substances and mixtures (13.12.2014-29204 official newspaper)

Product: Booster Sensitive Underground Emulsion

MSDS Number : GBF-016

Date of Issue : 10.10.2016

Rev. Number : 01

Rev. Date : 31.10.2018

Page Number : 3/7

Fire Extinguishing Agent : Immediately apply plant emergency evacuation plans. All

personnel should be evacuated to a predetermined safe area.

Fire Hazard : Fire may cause explosion on the area. Burning material may

remove toxic vapors.

Explosion Hazards: There is a risk of explosion by shock, friction, fire or other

sources of ignition.

Hazardous Combustion Products: Nitrogen Oxides (NOx), carbon monoxide (CO), ammonia.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Avoid contact with eyes, skin and clothing. Do not smoke.

Eliminate any ignition sources of any kind.

Protective Equipment : Completely closed protective eyewear appropriate edges,

appropriate nitrile gloves, work clothes, work shoes use.

Environmental precautions: Try to stop the leak without being exposed to any dangers. Avoid contaminating sewers and drinking water. Inform the authorities in case of mix sewer or underground water.

Emergency Procedure: Remove from media sources of ignition.

Cleaning Method: Keep away from all ignition sources. If there is no contamination of the product, it should attempt to retrieve a clean container. Remaining material should be mixed with sand and used in blasting operations or burn with expert.

Related Sections: Section 8 and 13 for additional information.

7. HANDLING AND STORAGE

Precautions for Safe Use : Appropriate nitrile gloves should be used. Smoking and hot work (welding, cutting, etc ...) in the application area should be prohibited. Do not mix with any chemicals.

Warnings to protect against fire and explosion: Prevent uncontrolled contact with the material are incompatible with each other. Avoid contact with flames, shock, friction and other ignition sources. Keep fire fighting equipment ready for.

Shelf Life: The shelf life of this product is 1 year.

Storage:

Looking for storage areas and Packaging Specifications: It should be stored according to regulations. Storage areas should be dry and be sure that there is natural ventilation. Smoke, fire, hot work (welding, cutting, drilling) should be banned. Store the mixture in the original pack. Magazine must be lockable. Unauthorized persons should not be enter.

Common Storage Storage Related Alerts: Follow the general rules of storage chemicals. Storage material according to hazardous materials storage matrix.



MSDS have been prepared in according to regulation of safety data sheets on hazardous substances and mixtures (13.12.2014-29204 official newspaper)

Product: Booster Sensitive Underground Emulsion

MSDS Number : GBF-016

Date of Issue : 10.10.2016

Rev. Number : 01

Rev. Date : 31.10.2018

Page Number : 4/7



Chemicals that are incompatible with the product: Corrosive (strong acids and strong bases or alkalis), strong oxidizing agents, reducing agents, flammable materials.

8. EXPOSURE CONTROLS / PERSONEL PROTECTION

Limits of Professional Injustice:

| Raw Material | CAS No | ACGIH TWA | OSHA TWA |
|---------------------|-----------|-----------------------|-----------------------|
| Emulsifier | Mixture | 5 mg/m³ Oil Burner | 5 mg/m³ Oil Burner |
| Mineral Oil | 8042-47-5 | 5 mg/m³ Oil Burner | 5 mg/m³ Oil Burner |
| Ammonium Nitrate | 6484-52-2 | 10mg/m³ Powder | 5mg/m³ |
| Sensitizing | Mixture | N/A | N/A |

Personal Protection Equipment;







Respiratory Protection: These products do not cause chemical exposure under

normal use conditions.

: Chemical resistant gloves (EN 374).

Hand Protection Eye Protection

: Eye protection glasses with side shields should be used (EN

166).

Safety and Hygiene Precaution: Use according to industrial hygiene and safety precaution.

Do not inhale. Keep away from food, drink and animal feed. Do not eat, drink or smoke.

Immediately remove contaminated clothes. Hands and face should be washed after the break and before the end of the shift.



MSDS have been prepared in according to regulation of safety data sheets on hazardous substances and mixtures (13.12.2014-29204 official newspaper)

Product: Booster Sensitive Underground Emulsion

MSDS Number : GBF-016

Date of Issue : 10.10.2016 Rev. Number : 01

Page Number : 5/7

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Physical form: Emulsion gel

Colour : White
Odour : N/A
pH : N/A
Melting Point : N/A
Boiling Point : N/A
Freezing Point : N/A

 Density
 : 1,12-1,16 g/cm³

 Viscosity @ 40 ⁰C
 : 55000 ±5000 cP

 Resolution
 : Not Soluble

Decomposition Temperature : Ammonium Nitrate: 210 ° C (410 ° F)

Vapor Pressure : N/A

Oxidation Features : Decomposition is a powerful oxidant Explosion Feature : Explosives, mass explosion damage

Explosion Data Explosion speed : 5500-5900 m/s (45 mm PVC cartridge exposed)

Static Explosion Data : Not Sensitive Electrical Sensitivity

Explosion Data Impact : Not Sensitive Sensitivity

10. STABILITY AND REACTIVITY

Stability : Stable under normal temperatures and pressures.

Reactivity : Stable at normal conditions. Risk of explosion contact with

fire or high-energy shock. Do not mix with chemicals.

Conditions to Avoid : Keep away from sources of heat, flames and shock.

Incompatible Chemicals : Corrosive (strong acids and strong bases or alkeran), strong

oxidizing agents, reducing agents.

Hazardous Combustion Products: Nitrogen Oxides (NOx), carbon monoxide (CO), ammonia.

nitrogen (N2).

11. TOXICOLOGICAL INFORMATION

Acute Toxicity : Not classified

Irritation: Not irritating to skin. Eye contact can cause severe irritation

Fatal or Skin Sensitisation : Not classified

Carcinogenicity : There is doubt on causing cancer. There is no conclusive

evidence.

Specific Target Organ Toxic: Not classifiedReproductive Toxicity: Not classifiedAspiration Loss: Not classified

Additional information on toxicology;

Ammonium Nitrate (6484-52-2)



MSDS have been prepared in according to regulation of safety data sheets on hazardous substances and mixtures (13.12.2014-29204 official newspaper)

Product: Booster Sensitive Underground Emulsion

MSDS Number : GBF-016

Date of Issue : 10.10.2016

Rev. Number : 01

Rev. Date : 31.10.2018

Page Number : 6/7

 $\begin{array}{ll} \text{Oral LD50 (mouse)} & : 4500 \text{ mg / kg} \\ \text{Oral LD50 (mouse)} & : 2800 \text{ mg / kg} \\ \text{Inhalation LC50 (4 hr.) (Mouse)} & : > 88.8 \text{ mg / l} \end{array}$

Mineral Oil (8042-47-5)

LD50 oral (Mouse) :> 5000 mg / kgLD50 Skin (rabbit) :> 2000 mg / kg

12. ECOLOGICAL INFORMATION

Ecotoxicity : Not regarded as dangerous for the environment

Mobility : The product does not mix with water. Do not spread in the aquatic

environment

Bioaccumulation potential: There is no data about biological accumulation

Additional Info About Environment Ecology;

Ammonium Nitrate (6484-52-2)

LC50 (48h) fish : 1,15 – 1,72 mg NH3/L (Cyprinus Carpio)

Aquatic Invertebrates EC50 : 555 mg/L (Daphnia magna)

Algae EC50 : 83 mg/l (Scenedesmus quadricauda)

Mineral Oil (8042-47-5)

LL50 Fish (96h) :> 2000 mg/kg (Lepomis macrochirus Rafiresqua)

Fish LC50 (96h) :> 10 g/l (Lepomis macrochirus)

13. DISPOSAL CONDITIONS

General Disposal Information: Waste must be disposed in accordance with local

regulations.

Safe Disposal : Explosive waste must be disposed in blasting holes on

mines or it must be disposed by burning in the explosives test site.

14. TRANSPORT INFORMATIONS

UN Name : Explosive, Type E

UN Number : UN 0241 IMDG (sea) Code/Class : 1.1 D Packing Group : -

RID/ADR (road/rail) : 1.1 D
Packing Group :-

In trasportation of explosive materials must be considered compliance with the requirement of Regulation No. 87/12028 or if needed international hazardous materials packaging agreements.



MSDS have been prepared in according to regulation of safety data sheets on hazardous substances and mixtures (13.12.2014-29204 official newspaper)

Product: Booster Sensitive Underground Emulsion

MSDS Number : GBF-016

Date of Issue : 10.10.2016

Rev. Number : 01

Rev. Date : 31.10.2018

Page Number : 7/7

15. REGULATORY INFORMATIONS

Regulation on the compilation of safety data sheets of the Dangerous Substances and Preparations Regulation on Classification of Dangerous Substances and Preparations, Packaging and Labelling Regulation on Classification, Labelling and Packing of substances and mixtures Regulation on the Safety Data Sheets of Hazardous Substances and Mixtures Regulations on the Transport of Dangerous Materials by highway Regulation no 87/12028

16. OTHER INFORMATIONS

Risk Phrases;

R8 : Contact with combustible material may cause fire

R11 : Highly flammable R22 : Harmful if swallowed R36 : Irritating to eyes

R36/37/38 : Irritating to eyes, respiratory system and skin irritant

Expressions harmfulness;

H228: Flammable solid

H272 : Can strengthen fire, oxidizing

H302 : Harmful if swallowed

H304 : Fatal if penetrate the respiratory tract and swallowed

H312 : Harmful in contact with skinH319 : Causes serious eye irritation

H332 : Harmful if swallowed

Key Information Sources;

This material safety data sheet is prepared based on informations received from KAPEKS ÜRETİM LTD. ŞTİ.

Revision:

First Issue. This material safety data sheet is prepared regarding to the 13.12.2014 dated and 29204 number of Regulation on Safety Data Sheets of Hazardous Substances and Mixtures.

Prepared by:

Name Surname: Aybala Bektaş

Contact Informations: aybala@kapeks.com.tr

Certificate No: 01.166.01

Certificate validity date: 23.10.2021